

01 TITAN Megashore / TITAN Leg / Aluminium Props

size	2	4	6
adj. range m	1,70 - 2,90	2,90 - 4,10	4,30 - 5,50
weight kg	18	23	29
packing	rack = 30	rack = 30	rack = 30
art.no.	01201501	01201503	01201505



02 TITAN Jack

art.no. 02201520.....1,20 m adj. range.....	10,40 kg
art.no. 02201521.....0,40 m adj. range.....	6,10 kg



03 TITAN Retainer Claw to hold on additional inner (2 pcs. required), galvanized

art.no. 02201517.....	0,25 kg
-----------------------	---------




04 Spanner for TITAN Megashore and TITAN BKS-Alu push pull props (new and old handle), green painted

art.no. 02201555.....	4,00 kg
-----------------------	---------



05 TITAN Extension Outer for the extension of TITAN LEGS, (2 connecting brackets required for fixing)

art.no. 02201539.....	500 mm....	4,30 kg
art.no. 02201541.....	1000 mm....	5,70 kg
art.no. 02201540.....	1250 mm....	8,50 kg
art.no. 02201551.....	5000 mm....	24,00 kg




06 Connecting Bracket for the connection of 2 outers (2 pieces required)

art.no. 01201584.....	0,80 kg
-----------------------	---------

07 Allen Bolt and Hex. Nut M 12 x 35, galvanized, (without illustration)

art.no. 07201554.....	
-----------------------	--



08 TITAN Ledger Frame, 780 mm high, tube Ø 48 mm, suitable for scaffold couplers packing / bundle = 20 pcs., center/center:

art.no. 02201567.....	600 mm....	5,60 kg
art.no. 02201568.....	900 mm....	7,50 kg
art.no. 01201570.....	1250 mm....	7,80 kg
art.no. 01201571.....	1600 mm....	8,80 kg
art.no. 01201572.....	1800 mm....	9,70 kg
art.no. 01201573.....	2400 mm....	13,50 kg
art.no. 01201574.....	3000 mm....	15,40 kg



09 TITAN Universal Tripode for TITAN Megashore and TITAN HV Lite Prop

art.no. 06201410.....	9,25 kg
-----------------------	---------



10 C-hook for moving edge tables, rope sling capacity min. 15 kN required

art.no. 01201593.....	380,0 kg
-----------------------	----------




11 TITAN Trolley

width 760 mm, height 1935 mm, safe working load 10 kN, stroke 400 - 1700 mm, castor Ø 200 mm, incl. holder for spanner, hot-galvanized	
art.no. 01201585.....	124,0 kg



12 Adapter for TITAN Trolley

to pick up directly on the megashore outer in a horizontal position only (tunnelform)	
art.no. 02201685.....	5,59 kg



13 TITAN Half Coupler
for scaffold tube Ø 48 mm, incl. 2 T-bolts and wing nuts,
hot-galvanized,
art.no. 06201589..... 1,56 kg



14 Scaffold Coupler 76/48
to brace Ø 73 mm aluminium jack with Ø 48 mm tube,
hex. nut 19 mm, **galvanized**
art.no. 07203085..... 1,75 kg



15 Four-Way-Head Plate can be fixed to the plate of the jack,
incl. 4 bolts/nuts M 12 x 35,
art.no. 01201592..... 1,43 kg



16 Swivel Head Plate, height 75 mm
for slopes upto ± 39°, tilting in all directions, by rotating the jack,
for fixing: 4 bolts M 12 x 35 required
art.no. 02201553..... 2,90 kg



17 Hinge Plate for hinging of the props or aluminium beams,
when using edge tables,
8 bolts/nuts M 12 x 35 are required, **galv.**
art.no. 02201527..... 9,30 kg



18 Outer without spare jack, 250 mm long,
(included height of closed jack)
can be fixed to a standard extension outer,
incl. IFLOM disc and retainer clip,
(2 connecting brackets required for fixing), **(will be sold out)**
art.no. 02201525..... 2,10 kg



19 TITAN HV 50 Post-Shore Positioner
for fixing Megashore leg, steel props no. 4 + no. 7 + HV lite prop, packing unit 100 pcs.
art.no. 06204959..... 0,10 kg



20 4-Way Head for timber beam H 20, **galvanized**, packing unit 100 pcs./pallet
art.no. 11201415..... 3,00 kg



21 4-Way Head for aluminium beam TITAN 160 H, **galvanized**
art.no. 06201418..... 2,60 kg



22 Locating Disc for 4-way heads and TITAN HV 38 post-shore positioners,
suitable for steel props no. 4 + no. 7, HV lite prop and megashore jack, **galvanized**
art.no. 01201414..... 0,5 kg



23 Angle Plate, galva, max. inclination of 8°
art.no. 01307169..... 2,50 kg



Accessories for heavy duty formwork carriage:

24 hydraulic spindle jack, for supporting the formwork carriage, with manometer,
easy lifting and lowering, perm. load 250 kN
art.no. 06201624..... 46,00 kg




25 TITAN 225 beam block, to connect spindle jack with TITAN Megashore leg
art.no. 01204256..... 12,00 kg



26 plate with twin castors Ø 400 mm, incl. fixing devices
perm. load 65 kN, to be fixed to a pair of TITAN 225 beams
art.no. 06201625..... 87,00 kg



27 lashing strap, 8 m, perm. load 25 kN
art.no. 06201626..... 3,25 kg




28 TITAN Rail Post for edge tables, tube 60 x 40 mm,
to be fixed the holes in the aluminium beam TITAN 160,
(2 bolts with nut M 16 x 35 required, M 16 x 80 for TITAN 160 H)
incl. 4 screws M 12 x 130
to fix timber 150 x 50 mm, **galvanized**
art.no. 01201595..... 13,00 kg



29 PP Scaffold Board to rest on ledger frames
or scaffold tubes of Ø 48 mm, packing unit 50 pcs. in a bundle

length	m	1,25	1,60	1,80	2,40
weight	kg	6,0	8,0	9,0	11,5
art.no. 062030..		...75	...73	...72	...70



30 Handrail Frame of aluminium, conforming to DIN 4420

center/center	1200 mm..... art.no.03201562	9,60 kg
	1800 mm..... art.no.03201565	11,80 kg